

TYPICAL

From: **CAMSEW**



Model: TW1-1245/V
Compound Feed.

With Synchronised
Binding Option.

Built in Bobbin
Winder.

Clutch Safety Device
To Prevent Thread
lock Damage.

Complete With Servo
Motor.

Built to do a Days
Work Every Day.

Servo Motor

Doso: servo motor, control box, synchroniser.

AC servo motor: Low power consumption with 450 watts output, smooth, and very quiet, top speed adjustable by operator.

Synchroniser: Needle stops down when pedal released, to turn work. Needle stops up when “Heel Back” to remove work.

Low Noise: When machine is operating there is no noise, and next to zero power use.

Compound Feed

Foot rise when operating up to 7mm means even feeding over very heavy cross seams.

Full range of extra feet available, your range of existing Pfaff feet will fit this machine.

Safety Clutch: prevents damage from thread lock.



Warranty

12 Months on site warranty, parts, and labour.

With delivery, and setup (Melbourne Metropolitan Area)

All other areas 12 months return to point of purchase, with a \$100.00 discount towards freight.

Model	Stitch	Max Stitch Length	Bobbin	Feeding	RPM	Foot Lift	Work Area	Bed Dimensions	Needle	Made in
TW1-1245/V	Lock Stitch	8mm	Large 25 X 10mm	Compound Feed	1800	14mm Knee Press	300 X 136 mm	48 X 18 cm	134-35	China

CAMSEW

Importers of Typical, and CAMSEW industrial sewing machines.

Phone: Ron. 0419 884 920

Email Ron: ron@camsew.com.au

Web: camsew.com.au

Workshop, showroom, and mail: 5 Oxford Drive, Bundoora Vic. 3083

(Please phone first to avoid a wasted trip)



TYPICAL